

Carlson Software Inc. 102 West 2<sup>nd</sup> Street Maysville, KY 41056

www.carlsonsw.com Phone: (606) 564-5028 Fax: (606) 564-6422

😂 Bluetooth Devices	🚯 🗙	
Select Receiver		
Receiver Name	Receiver ID	
Eind Receiver	Delete Receiver	
Set Receiver <u>P</u> IN	Set Receiver <u>N</u> ame	

Bluetooth Manager	? 0K ×
Scan Device	
Untrusted Trusted	
> <u>S</u> can Device	<
-	

>	<u>S</u> can Device	<

Authentication Request	×	? 0K ×
0012f30431fd		
Enter PIN: 0000		rusted
OK Cancel		
> <u>S</u> can	Dev	rice <

Bluetooth Manager	? 0K ×
Scan Device	
Untrusted > Scan Device	

This document contains confidential and proprietary information that remains the property of Carlson Software Inc.

Tap Scan Device

When the **Authentication Request** dialog box appears: Enter the **Bluetooth Passkey** then Tap **OK** 

-->

button

Select the 🎒 icon then Tap the



Carlson Software Inc. 102 West 2<sup>nd</sup> Street Maysville, KY 41056

Tap  $\ensuremath{\text{No}}$  if your prompted with "Do you need to authenticate the device"

From the Trusted side of the screen double tap the 4 icon



Bluetooth Manager	? OK ×
Scan Device	
Untrusted	Trusted
• • • • • • • • • • • • • • • • • • •	Device <

Bluetooth Manager	? OK ×
Scan Device	
Untrusted	Trusted
€ <tcrp120x #227<="" r300="" th=""><th>Active 0 #227 Authenticate Encrypt</th></tcrp120x>	Active 0 #227 Authenticate Encrypt

Bluetooth Manager	? OK ×
Scan Device	
Untrusted S < TCRP120X R300 #227	Trusted

This document contains confidential and proprietary information that remains the property of Carlson Software Inc.

Tap Active

When the screen looks like this tap  $\mathbf{O}\mathbf{K}$ 



Carlson Software Inc. 102 West 2<sup>nd</sup> Street Maysville, KY 41056 www.carlsonsw.com Phone: (606) 564-5028 Fax: (606) 564-6422

Your instrument should now appear as an available Receiver

Tap the local icon in the upper right

😂 Bluetooth Devices	🚯 🗙
Select Receiver	
Receiver Name	Receiver ID
<tcrp120x #2271<="" r300="" td=""><td>132&gt; <tcrp120x r3<="" td=""></tcrp120x></td></tcrp120x>	132> <tcrp120x r3<="" td=""></tcrp120x>
•	<b>→</b>
Eind Receiver	Delete Receiver
Set Receiver <u>P</u> IN	Set Receiver <u>N</u> ame

It should say "Bonding with Bluetooth" for a few seconds then display the Comms tab as shown in the screenshot to the right.

Your Bluetooth instrument is now ready to use.

<mark>ề</mark> Instru	ment Setup	X
Current	Comms Settings Sear	rch
Type:	Bluetooth	<b>-</b>
Device:	Microsoft	▼ Configure
Instrumer	nt <tcrp120x #22;<="" r300="" td=""><td>•</td></tcrp120x>	•

This document contains confidential and proprietary information that remains the property of Carlson Software Inc.